

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	384/100.ccls. and ((shaft with flange) same tapered)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:21
S2	180	384/100.ccls. and (shaft same flange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:23
S3	5	("20020018603" "6033118" "6252322" "6851859" "7005768").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:33
S4	4	("20020037118" "5645355" "5821655" "6105250").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:35
S5	4	("20020037118" "5645355" "5821655" "6105250").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:35
S6	3	("6851859").URPN.	USPAT	OR	OFF	2009/09/17 14:35
S7	6	("5715116" "5822846" "5914832" "6512654" "6657340" "6787954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:36
S8	8	("4774749" "4875263" "4934836" "5009520" "5129739" "6390681" "6439774" "6846109"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:38
S9	7	("5067528" "5524728" "5601125" "5778948" "5894868" "6066903" "6305439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:39
S10	8	("3445148" "5127744" "5357162" "5683183" "5704718" "5810479" "5941646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 14:41

S11	328	((hydrodynamic with bearing) and (shaft same sleeve) and (flange with thrust))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:49
S12	191	((hydrodynamic with bearing) and (shaft same sleeve) and (flange with thrust) and seal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 14:50
S13	1	("2004282955").PN.	JPO	OR	OFF	2009/09/17 17:16
S14	1	("2000270530").PN.	JPO	OR	OFF	2009/09/17 17:20
S15	6	("5715116" "5822846" "5914832" "6512654" "6657340" "6787954").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 18:08
S16	4	("4509803" "4582368" "5120140" "5282688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/09/17 18:40
S17	11	("5704718").URPN.	USPAT	OR	OFF	2009/09/17 18:40
S18	10056040	(Shaft with rounded with edge surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:48
S19	79	(Shaft with (rounded near edge) with surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:49
S20	315	(Shaft with (rounded near edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:53
S21	1	(Shaft with (tapered near rounded near edge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:57

S22	4	(Shaft with (tapered near edge) with rounded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/09/17 18:58
-----	---	---	---	----	-----	---------------------

9/ 18/ 2009 9:47:32 AM

C:\ Documents and Settings\ mcharles\ My Documents\ EAST\ Workspaces\ hydrodynamic bearing with tapered shaft 10584314.wsp